



**DIO WANNA  
HAVE FUN?**



PRESENTING  
**DIO  
110**

*Get ready for a fun ride, packed with world-class features. The high-quality TFT display delivers crystal-clear readability, while tracking real-time fuel efficiency. The Idling Stop system boosts fuel economy and reduces fatigue, making city rides effortless. The built-in USB Type-C charger keeps you connected on the go. The powerful LED headlamps add style to every ride. The Honda Dio 110 promises a smooth, efficient, and fun experience, every time!*





**DIO WANNA  
HAVE FUN WITH  
NEW  
TECHNOLOGY?**

**TFT METER**

10.67cm

Advanced and interactive, the TFT meter provides real-time and average fuel efficiency, and range (distance to empty), keeping you always informed.

REAL-TIME MILEAGE

RANGE  
(DISTANCE TO EMPTY)

AVERAGE MILEAGE



**FUN CITY**  
**2 KM**



## IDLING STOP SYSTEM



*The Idling Stop system automatically shuts down the engine during brief stops, reducing unnecessary fuel consumption, and easing rider fatigue.*


## USB TYPE-C CHARGING



*With the built-in USB Type-C charger, never ever worry about your phone's battery running out.*




## SIDE STAND ENGINE CUT-OFF\*



*It automatically shuts off the engine for added safety when the side stand is engaged.*

*\*Side stand is a part of genuine standard accessories.*

## SILENT START WITH ACG



*The ACG Starter provides a smooth, silent start every time, and reduces engine maintenance.*

## PGM-FI FUEL INJECTION

*The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.*

*DIO WANNA  
HAVE FUN WITH*  
**COMFORT?**



**PASSING SWITCH**

Pass like a boss with an easy-to-use passing switch for high beam, low beam, and passing with a flick.

**RETRACTABLE PILLION FOOT STEP**

Convenient and easy to use, so that the comfort of those sitting behind is always at the forefront.

**FRONT POCKET**

A pocket that's amazingly spacious. So, whether it's your sipper or sunglasses, keep all your essentials close.

**EXTERNAL FUEL LID**

Now no need to get up to get your Dio 110 refilled with an external fuel lid.





### SPLIT GRABRAIL



*A bold, sleek grabrail that  
grabs attention from the first  
glance onwards.*

### STYLISH MUFFLER PROTECTOR



*A stylishly cool muffler  
protector to up the style game.*

### ALLOY WHEELS



*These alloy wheels combine  
stylishness with unmatched comfort.*

## POSITION LAMP

*The distinctive LED lamp enhances the bold look while adding a touch of flair to your style.*



## FIERCE LED HEADLAMP

*For trendsetters who own the night, the sleek LED lights provide a bright, clear view of the road ahead.*



DIO WANNA  
HAVE FUN WITH  
**COLOURS?**



IMPERIAL RED METALLIC

MAT MARVEL BLUE



MAT AXIS GRAY METALLIC

PEARL IGNEOUS BLACK

PEARL IGNEOUS BLACK  
+ PEARL DEEP GROUND GRAY



AVAILABLE IN 2 DIFFERENT VARIANTS

Features	STD	DLX
TFT Meter	✗	✓
Eco Indicator	✗	✓
Real Time Fuel Efficiency	✗	✓
Average Fuel Efficiency	✗	✓
Range (Distance To Empty)	✗	✓
Alloy Wheels	✗	✓
Periodic Maintenance Indicator	✗	✓
Automatically Adjustable Meter Light & Dark Theme Modes	✓	✓

Features	STD	DLX
Universal USB-C Type Charging	Optional	✓
Idling Stop System With Turn Off Switch	✓	✓
Double Lid External Fuel Fill	✓	✓
Glove Box	✓	✓
ACG Silent Start	✓	✓
CBS With Equalizer	✓	✓

### TECHNICAL SPECIFICATION<sup>+</sup>

Body Dimensions	
Length	1808 mm
Width	677 mm
Height	1151 mm
Wheel Base	1260 mm
Ground Clearance	160 mm
Seat Length	650 mm
Kerb Weight	106 kg
Fuel Tank Capacity	5.3 L

Transmission	
Clutch Type	Automatic

Engine	
Type	4 Stroke, SI Engine
Displacement	109.51 cc
Max Net Power	5.85 kW @ 8000 rpm
Max Net Torque	9.03 N-m @ 5500 rpm
Bore	47.0 mm
Stroke	63.121 mm
Fuel System	PGM - FI
Compression Ratio	10.0:1
Air Filter Type	Viscous Paper Filter
Starting Method	Kick / Self

Tyres & Brakes	
Tyre Size (Front)	90/90-12 54J
Tyre Size (Rear)	90/100-10 53J
Tyre Type (Front)	Tubeless
Tyre Type (Rear)	Tubeless
Brake Type & Size (Front)	Drum - 130 mm
Brake Type & Size (Rear)	Drum - 130 mm

Frames & Suspensions	
Frame Type	Underbone
Front	Telescopic
Rear	Unit Swing

Electricals	
System Voltage	12V
Battery	5.0 Ah
Head Lamp	LED

\*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Range (distance to empty), real time and average mileage readings may vary as per the variant and riding conditions • Dio 110 meets Bharat stage VI OBD-2B norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • All features and colours may not be part of all variants • <sup>+</sup>Conditions apply.



**Sy. No 41/6, Sarjapur Main Road  
Doddakannahalli, Bangalore 560035**

---

**sales - +91-77955 13737**

**service - +91-77955 14747**

**[sales@sakurahonda.com](mailto:sales@sakurahonda.com)**

**[service@sakurahonda.com](mailto:service@sakurahonda.com)**

---

**[www.sakurahonda.com](http://www.sakurahonda.com)**